ATTACHMENT 7

Consumer Confidence Report Certification Form

(to be submitted with a copy of the CCR)

(to certify electronic delivery of the CCR, use the certification form on the State Board's website at http://www.waterboards.ca.gov/drinking water/certlic/drinkingwater/CCR.shtml)

Water	r System	Name: Pacific Offshore Pipeline Company
Water	r Syste	Number: 4200691
Furth comp	5/15_7 er, the	tem named above hereby certifies that its Consumer Confidence Report was distributed on -/-/6 (date) to customers (and appropriate notices of availability have been given). Testem certifies that the information contained in the report is correct and consistent with the onitoring data previously submitted to the State Water Resources Control Board, Division Vater.
Certif	fied by:	Name: Sylvia C Mechtold
		Signature: 15/10-60 MDM
		Title: Operations Compliance Specialist
		Phone Number: (805) 961-4044 Date: 7/1/16
	ems tha	report delivery used and good-faith efforts taken, please complete the below by checking apply and fill-in where appropriate: as distributed by mail or other direct delivery methods. Specify other direct delivery sused:
		faith" efforts were used to reach non-bill paying consumers. Those efforts included the ing methods:
		Posting the CCR on the Internet at www
		Mailing the CCR to postal patrons within the service area (attach zip codes used)
		Advertising the availability of the CCR in news media (attach copy of press release)
		Publication of the CCR in a local newspaper of general circulation (attach a copy of the published notice, including name of newspaper and date published)
		Posted the CCR in public places (attach a list of locations)
		Delivery of multiple copies of CCR to single-billed addresses serving several persons, such as apartments, businesses, and schools
		Delivery to community organizations (attach a list of organizations)
		Other (attach a list of other methods used)
		tems serving at least 100,000 persons: Posted CCR on a publicly-accessible internet site a owing address: www
\boxtimes	For p	vately-owned utilities: Delivered the CCR to the California Public Utilities Commission

This form is provided as a convenience and may be used to meet the certification requirement of section 64483(c), California Code of Regulations.

2015 Consumer Confidence Report

Water System Name: EXXON,	LAS FLORES CYN PROJECT	Report Date:	June 2016

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2015.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alquien que lo entienda bien.

Type of water source(s) in use: According to SWRCB records, this Source is Groundwater. This Assessment was done using the Default Groundwater System Method.

Your water comes from 5 source(s): Well 03P, Well 07P, Well 11P, Well 11P-2 and Well 8P-2

For more information about this report, or any questions relating to your drinking water, please call (805) 961 - 4044 and ask for Anthony Lopez.

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for the contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for the contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system mush follow.

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (μg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water: (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products if industrial
 processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural
 application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the California Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5 and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

	Table 1 - SAMPLING RESULTS FOR SODIUM AND HARDNESS												
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Sources of Contaminant							
Sodium (ppm)	(2014)	61	20 - 100	none	none	Salt present in the water and is generally naturally occurring							
Hardness (ppm)	(2014)	358	278 - 474	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring							

Table 2 - I	Table 2 - DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD											
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]		Typical Sources of Contaminant						
Fluoride (ppm)	(2008 - 2014)	0.2	0.1 - 0.3	2	1	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories.						
Gross Alpha (pCi/L)	(2009 - 2014)	2.9	1.70 - 5.86	15	(0)	Erosion of natural deposits.						

Table 3 - DETECTION OF CONTAMINANTS WITH A <u>SECONDARY</u> DRINKING WATER STANDARD												
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Sources of Contaminant						
Chloride (ppm)	(2014)	31	22 - 45	500	n/a	Runoff/leaching from natural deposits; seawater influence						
Iron (ppb)	(2014)	15823	250 - 46800	300	n/a	Leaching from natural deposits; Industrial wastes						
Manganese (ppb)	(2008 - 2014)	83	30 - 110	50	n/a	Leaching from natural deposits						

Odor Threshold at 60 °C (TON)	(2014)	8	N/A	3	n/a	Naturally-occurring organic materials.
Specific Conductance (umhos/cm)	(2008 - 2014)	934	633 - 1280	1600	n/a	Substances that form ions when in water; seawater influence
Sulfate (ppm)	(2008 - 2014)	224	109 - 370	500	n/a	Runoff/leaching from natural deposits; industrial wastes
Total Dissolved Solids (ppm)	(2008 - 2014)	630	410 - 900	1000	n/a	Runoff/leaching from natural deposits
Turbidity (NTU)	(2008 - 2014)	15.8	1.5 - 69.2	5	n/a	Soil runoff
Zinc (ppm)	(2014)	0.62	0.21 - 1.03	5	n/a	Runoff/leaching from natural deposits

Any violation of MCL, AL or MRDL is highlighted. Additional information regarding the violation is provided later in this report.

Table 4 - DETECTION OF UNREGULATED CONTAMINANTS											
Chemical or Constituent (and reporting units)	Sample Date	Level Range of Detected Detections		Notification Level	Typical Sources of Contaminant						
Boron (ppm)	(2008 - 2014)	0.1	0.1 - 0.2	1	The babies of some pregnant women who drink water containing boron in excess of the notification level may have an increased risk of developmental effects, based on studies in laboratory animals.						

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts if some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with the service lines and home plumbing. <code>ExxonMobil</code> is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

About our Iron: Iron was found at levels that exceed the secondary MCL. The Iron MCL was set to protect you against unpleasant aesthetic affects such as color, taste, odor and the staining of plumbing fixtures (e.g., tubs and sinks), and clothing while washing. Violating this MCL does not pose a risk to public health.

About our Manganese: Manganese was found at levels that exceed the secondary MCL. The Manganese MCL was set to protect you against unpleasant aesthetic affects such as color, taste, odor and the staining of plumbing fixtures (e.g., tubs and sinks), and clothing while washing. Violating this MCL does not pose a risk to public health.

About our Odor Threshold at 60 °C: Odor was found at levels that exceed the secondary MCL. The Odor MCL was set to protect you against unpleasant aesthetic affects such as color, taste, odor and the staining of plumbing fixtures (e.g., tubs and sinks), and clothing while washing. Violating this MCL does not pose a risk to public health.

About our Turbidity: Turbidity is Secondary Drinking Water Standards and has found no health effects. However, high levels of turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches.

2015 Consumer Confidence Report

Drinking Water Assessment Information

Assessment Information

A source water assessment was conducted for the WELL 02 of the PACIFIC OFFSHORE PIPELINE COMP water system in September, 2002.

- Well 03P is not considered vulnerable to any potentially contaminating activities at this time.
- Well 07P is considered most vulnerable to the following activities not associated with any detected contaminants: Wells Water supply
- Well 11P is not considered vulnerable to any potentially contaminating activities at this time.
- Well 11P-2 does not have a completed Source Water Assessment on file.
- $\begin{tabular}{lll} Well 8P-2 & -is considered most vulnerable to the following activities not associated with any detected contaminants: NPDES/WDR permitted discharges \\ \end{tabular}$

Discussion of Vulnerability

There have been no contaminants detected in the water supply above the Maximum Contaminant Level, however the source is still considered vulnerable to activities located near the drinking water source.

Acquiring Information

Environmental Health Services 225 Camino del Remedio Santa Barbara, CA 93110

You may request a summary of the assessment be sent to you by contacting:
Norman Fujimoto
Environmental Health Specialist
805-681-4917
805-681-4901 (fax)
Fujimoto@co.santa-barbara.ca.us

ExxonMobil Analytical Results By FGL - 2015

		MICROB	OLOGICA	AL CONTAM	INANT	S			
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Total Coliform Bacteria			0	5%	n/a			0	-
1stFloorAdmin.BldgPrimaryTap	SP 1507788-1					2015-07-14	Absent		
1stFloorAdmin.BldgPrimaryTap	SP 1506353-1					2015-06-05	Absent		
1stFloorAdmin.BldgPrimaryTap	SP 1504875-1					2015-05-05	Absent		
1stFloorAdmin.BldgPrimaryTap	SP 1503719-1					2015-04-07	Absent		
1stFloorAdmin.BldgPrimaryTap	SP 1502709-1					2015-03-10	Absent		
1stFloorAdmin.BldgPrimaryTap	SP 1501591-1					2015-02-10	Absent		
1stFloorAdmin.BldgPrimaryTap	SP 1500133-1					2015-01-06	Absent		
Building A Kitchen Sink	SP 1513403-1					2015-12-02	Absent		
Building A Kitchen Sink	SP 1512867-1					2015-11-17	Absent		
Building A Kitchen Sink	SP 1511437-1					2015-10-13	Absent		
Building A Kitchen Sink	SP 1510247-1					2015-09-15	Absent		
Building A Kitchen Sink	SP 1509184-1					2015-08-18	Absent		
Building A Kitchen Sink	SP 1507791-1					2015-07-14	Absent		
Building A Kitchen Sink	SP 1506354-1					2015-06-05	Absent		
Building A Kitchen Sink	SP 1504876-1					2015-05-05	Absent		
Building A Kitchen Sink	SP 1503720-1					2015-04-07	Absent		
Building A Kitchen Sink	SP 1502710-1					2015-03-10	Absent		
Building A Kitchen Sink	SP 1501590-1					2015-02-10	Absent		
Building A Kitchen Sink	SP 1500132-1					2015-01-06	Absent		
Control Rm Break Room Sink	SP 1507995-1					2015-07-17	<1.0		
ControlRmBreakrmSink-PrimTap	SP 1507790-1					2015-07-14	Present		
ControlRmBreakrmSink-PrimTap	SP 1506356-1					2015-06-05	Absent		
ControlRmBreakrmSink-PrimTap	SP 1504877-1					2015-05-05	Absent		
ControlRmBreakrmSink-PrimTap	SP 1503721-1					2015-04-07	Absent		
ControlRmBreakrmSink-PrimTap	SP 1502703-1					2015-03-10	Absent		
ControlRmBreakrmSink-PrimTap	SP 1501589-1					2015-02-10	Absent		
ControlRmBreakrmSink-PrimTap	SP 1500134-1					2015-01-06	Absent		
Kitchen Sink	SP 1513402-1	1				2015-12-02	Absent		
Kitchen Sink	SP 1512864-1					2015-11-17	Absent		
Kitchen Sink	SP 1511438-1					2015-10-13	Absent		
Kitchen Sink	SP 1510246-1	1				2015-09-15	Absent		
Kitchen Sink	SP 1509186-1					2015-08-18	Absent		
Mens BR	SP 1507995-2					2015-07-17	<1.0		
Mens Change Room	SP 1508359-1					2015-07-28	Absent		
Well #7 P	SP 1507995-4	1				2015-07-17	<1.0		
Womens BR	SP 1507995-3		1			2015-07-17	<1.0		

	SAMPLING RESULTS FOR SODIUM AND HARDNESS												
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)				
Sodium		ppm		none	none			61	20 - 100				
Well # 11P	SP 1400715-4	ppm				2014-01-21	98						
Well #3P Hose Bibb	SP 1400715-1	ppm				2014-01-21	26						
Well #7 P	SP 1400715-2	ppm				2014-01-21	100						
Well 8P-2	SP 1400715-3	ppm				2014-01-21	20						
Hardness		ppm		none	none			358	278 - 474				
Well # 11P	SP 1400715-4	ppm				2014-01-21	474						
Well #3P Hose Bibb	SP 1400715-1	ppm				2014-01-21	309						
Well #7 P	SP 1400715-2	ppm				2014-01-21	369						
Well 8P-2	SP 1400715-3	ppm				2014-01-21	278						

PRIMARY DRINKING WATER STANDARDS (PDWS)

-		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Fluoride		ppm		2	1			0.2	0.1 - 0.3
Well # 11P	SP 1400715-4	ppm	AV 100 PM			2014-01-21	0.3		
Well #3P Hose Bibb	SP 1400715-1	ppm				2014-01-21	0.2		
Well #7 P	SP 1400715-2	ppm				2014-01-21	0.1		
Well 11P-2	SP 0811123-1	ppm				2008-10-08	0.3		
Well 8P-2	SP 1400715-3	ppm				2014-01-21	0.3		
Gross Alpha		pCi/L		15	(0)			2.90	1.70 - 5.86
Well # 11P	SP 1406998-6	pCi/L				2014-06-18	2.18		
Well # 11P	SP 1403112-6	pCi/L				2014-03-18	4.83		
Well #3P Hose Bibb	SP 1403112-3	pCi/L				2014-03-18	1.94		
Well #7 P	SP 1410945-4	pCi/L				2014-09-23	1.70		
Well #7 P	SP 1406998-4	pCi/L				2014-06-18	2.59		
Well #7 P	SP 1403112-4	pCi/L				2014-03-18	2.88		
Well 11P-2	SP 0903056-6	pCi/L				2009-03-30	5.86		
Well 8P-2	SP 1410945-5	pCi/L				2014-09-23	1.92		
Well 8P-2	SP 1406998-5	pCi/L				2014-06-18	2.17		

	SECONI	DARY DRINK	ING WA	TER STANI	DARDS	(SDWS)			
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Chloride		ppm		500	n/a			31	22 - 45
Well # 11P	SP 1400715-4	ppm				2014-01-21	45		
Well #3P Hose Bibb	SP 1400715-1	ppm				2014-01-21	22		
Well #7 P	SP 1400715-2	ppm				2014-01-21	34		
Well 8P-2	SP 1400715-3	ppm				2014-01-21	23		
Iron		ppb		300	n/a			15823	250 - 46800
Well # 11P	SP 1400715-4	ppb				2014-01-21	420		
Well #7 P	SP 1400715-2	ppb				2014-01-21	250		
Well 8P-2	SP 1400715-3	ppb				2014-01-21	46800		
Manganese		ppb		50	n/a			83	30 - 110
Well # 11P	SP 1400715-4	ppb				2014-01-21	70		
Well #7 P	SP 1400715-2	ppb				2014-01-21	30		
Well 11P-2	SP 0811123-1	ppb				2008-10-08	90		
Well 11P-2	SP 0811124-2	ppb				2008-10-08	100		
Well 11P-2	SP 0811124-3	ppb				2008-10-08	90		
Well 11P-2	SP 0811124-1	ppb				2008-10-07	110		
Well 8P-2	SP 1400715-3	ppb				2014-01-21	90		
Odor Threshold at 60 °C		TON		3	n/a			8	8 - 8
Well #7 P	SP 1400715-2	TON				2014-01-21	8		
Specific Conductance		umhos/cm		1600	n/a			934	633 - 1280
Well # 11P	SP 1400715-4	umhos/cm				2014-01-21	1280		
Well #3P Hose Bibb	SP 1400715-1	umhos/cm				2014-01-21	709		
Well #7 P	SP 1400715-2	umhos/cm				2014-01-21	1120		
Well 11P-2	SP 0811123-1	umhos/cm				2008-10-08	930		
Well 8P-2	SP 1400715-3	umhos/cm				2014-01-21	633		
Sulfate		ppm		500	n/a			224	109 - 370
Well # 11P	SP 1400715-4	ppm				2014-01-21	370		
Well #3P Hose Bibb	SP 1400715-1	ppm				2014-01-21	153		
Well #7 P	SP 1400715-2	ppm				2014-01-21	325		
Well 11P-2	SP 0811123-1	ppm				2008-10-08	165		
Well 8P-2	SP 1400715-3	ppm				2014-01-21	109		
Total Dissolved Solids		ppm		1000	n/a			630	410 - 900
Well # 11P	SP 1400715-4	ppm				2014-01-21	900		
Well #3P Hose Bibb	SP 1400715-1	ppm				2014-01-21	490		
Well #7 P	SP 1400715-2	ppm			†	2014-01-21	760		
Well 11P-2	SP 0811123-1	ppm		1		2008-10-08	610		
Well 11P-2	SP 0810562-1	ppm	1			2008-09-26	610		
Well 8P-2	SP 1400715-3	ppm	1		1	2014-01-21	410	1	

Turbidity		NTU	5	n/a			15.8	1.5 - 69.2
Well # 11P	SP 1400715-4	NTU			2014-01-21	2.9		
Well #3P Hose Bibb	SP 1400715-1	NTU			2014-01-21	3.1		
Well #7 P	SP 1400715-2	NTU			2014-01-21	2.3		
Well 11P-2	SP 0811123-1	NTU			2008-10-08	1.5		
Well 8P-2	SP 1400715-3	NTU			2014-01-21	69.2		
Zinc		ppm	5	n/a			0.62	0.21 - 1.03
Well #7 P	SP 1400715-2	ppm			2014-01-21	0.21		
Well 8P-2	SP 1400715-3	ppm			2014-01-21	1.03		

		UNREC	ULATED	CONTAMIN	IANTS		and the second s		
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Boron		ppm		NS	n/a			0.1	0.1 - 0.2
Well # 11P	SP 1400715-4	ppm				2014-01-21	0.1		
Well #7 P	SP 1400715-2	ppm				2014-01-21	0.2		
Well 11P-2	SP 0811123-1	ppm				2008-10-08	0.1		

ExxonMobil CCR Login Linkage - 2015

FGL Code	Lab ID	Date_Sampled	Method	Description	Property		
LFC PbCu 03	SP 1506734-3	2015-06-13	Metals, Total	1st Floor Laundry	LFC - Lead & Copper		
LFC PbCu 01	SP 1506734-1	2015-06-13	Metals, Total	1st Floor Mens Room	LFC - Lead & Copper		
1st Floor Admin	SP 1500133-1	2015-01-06	Coliform	1stFloorAdmin.BldgPrimaryTap			
	SP 1501591-1	2015-02-10	Coliform	1stFloorAdmin.BldgPrimaryTap			
LFC-1st Floor A	SP 1502709-1	2015-03-10	Coliform	1stFloorAdmin.BldgPrimaryTap			
	SP 1503719-1	2015-04-07	Coliform	1stFloorAdmin.BldgPrimaryTap			
	SP 1504875-1	2015-05-05	Coliform	1stFloorAdmin.BldgPrimaryTap			
	SP 1506353-1	2015-06-05	Coliform	1stFloorAdmin.BldgPrimaryTap			
	SP 1507788-1	2015-07-14	Coliform	1stFloorAdmin.BldgPrimaryTap			
LFC PbCu 02	SP 1506734-2	2015-06-13	Metals, Total	2nd Floor Mens Room	LFC - Lead & Copper		
LFC PbCu 05	SP 1506734-5	2015-06-13	Metals, Total	2nd Floor Sink	LFC - Lead & Copper		
BLD A KIT SINK	SP 1500132-1	2015-01-06	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1501590-1	2015-02-10	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
LFC-BLD A KIT S	SP 1502710-1	2015-03-10	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1503720-1	2015-04-07	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1504876-1	2015-05-05	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1506354-1	2015-06-05	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1507791-1	2015-07-14	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1509184-1	2015-08-18	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1510247-1	2015-09-15	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1511437-1	2015-10-13	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1512867-1	2015-11-17	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
	SP 1513403-1	2015-12-02	Coliform	Building A Kitchen Sink	LFC-Upper Peanut Complex Routine Bacteriological		
Control Rm Brea	SP 1507995-1	2015-07-17	Coliform	Control Rm Break Room Sink	Coliform Resample at LFC Lunch Room		
Control Rm. Bre	SP 1500134-1	2015-01-06	Coliform	ControlRmBreakrmSink-PrimTap	POPCO Routine Bacteriological		
	SP 1501589-1		Coliform	ControlRmBreakrmSink-PrimTap	POPCO Routine Bacteriological		
POPCO-Control R			Coliform	ControlRmBreakrmSink-PrimTap	POPCO Routine Bacteriological		
	SP 1503721-1		Coliform	ControlRmBreakrmSink-PrimTap			
	SP 1504877-1		Coliform	ControlRmBreakrmSink-PrimTap			
	SP 1506356-1		Coliform	ControlRmBreakrmSink-PrimTap			
	SP 1507790-1	2015-07-14	Coliform	ControlRmBreakrmSink-PrimTap			
LFC-KITCHEN SIN	SP 1509186-1	2015-08-18	Coliform	Kitchen Sink	LFC Administration Bldg. Routine Bacteriological		
	SP 1510246-1	2015-09-15	Coliform	Kitchen Sink	LFC Administration Bldg. Routine Bacteriological		
	SP 1511438-1	2015-10-13	Coliform	Kitchen Sink	LFC Administration Bldg. Routine Bacteriological		
	SP 1512864-1	2015-11-17	Coliform	Kitchen Sink	LFC Administration Bldg. Routine Bacteriological		
	SP 1513402-1		Coliform		LFC Administration Bldg. Routine Bacteriological		
Mens BR	SP 1507995-2	2015-07-17	Coliform	Mens BR	Coliform Resample at LFC Lunch Room		
Mens Change Roo	SP 1508359-1	2015-07-28	Coliform	Mens Change Room	Popco Rountine Bacteriological		
LFC-Well 11P	SP 1305282-4	2013-05-28	Metals, Total		Env Health Serv (EHS) Permit #0743 - Triennial		
	SP 1400715-4	2014-01-21	Wet Chemistry	Well # 11P	LFC - Water Quality Monitoring		
	SP 1400715-4	2014-01-21	General Mineral		LFC - Water Quality Monitoring		

4	SP 1403112-6	2014-03-18	Radio Chemistry	Well # 11P	Radio Monitoring
	SP 1406998-6	2014-06-18	Radio Chemistry	Well # 11P	Radio Monitoring
LFC-Well 03P	SP 1305282-1	2013-05-28	Metals, Total	Well #3P Hose Bibb	Env Health Serv (EHS) Permit #0743 Triennial
	SP 1400715-1	2014-01-21	General Mineral	Well #3P Hose Bibb	LFC - Water Quality Monitoring
	SP 1400715-1	2014-01-21	Wet Chemistry	Well #3P Hose Bibb	LFC - Water Quality Monitoring
	SP 1403112-3	2014-03-18	Radio Chemistry	Well #3P Hose Bibb	Radio Monitoring
LFC-Well 07P	SP 1305282-2	2013-05-28	Metals, Total	Well #7 P	Env Health Serv (EHS) Permit #0743 Triennial
	SP 1400715-2	2014-01-21	Wet Chemistry	Well #7 P	LFC - Water Quality Monitoring
	SP 1400715-2	2014-01-21	General Mineral	Well #7 P	LFC - Water Quality Monitoring
	SP 1403112-4	2014-03-18	Radio Chemistry	Well #7 P	Radio Monitoring
	SP 1406998-4	2014-06-18	Radio Chemistry	Well #7 P	Radio Monitoring
	SP 1410945-4	2014-09-23	Radio Chemistry	Well #7 P	Radio Monitoring
	SP 1507995-4	2015-07-17	Coliform	Well #7 P	Coliform Resample at LFC Lunch Room
LFC-Well 11P-2	SP 0810562-1	2008-09-26	Wet Chemistry	Well 11P-2	Exxon Mobil Well 11P-2
	SP 0811124-1	2008-10-07	Metals, Total	Well 11P-2	Well 11P-2
	SP 0811123-1	2008-10-08	General Mineral	Well 11P-2	Well 11P-2
	SP 0811123-1	2008-10-08	Metals, Total	Well 11P-2	Well 11P-2
	SP 0811123-1	2008-10-08	Wet Chemistry	Well 11P-2	Well 11P-2
	SP 0811124-2	2008-10-08	Metals, Total	Well 11P-2	Well 11P-2
	SP 0811124-3	2008-10-08	Metals, Total	Well 11P-2	Well 11P-2
	SP 0903056-6	2009-03-30	Radio Chemistry	Well 11P-2	Radio Monitoring
LFC-Well 8P-2	SP 1006300-3	2010-06-29	Metals, Total	Well 8P-2	Env Health Serv (EHS) Permit #0743 - Triennial
	SP 1400715-3	2014-01-21	General Mineral	Well 8P-2	LFC - Water Quality Monitoring
	SP 1400715-3	2014-01-21	Wet Chemistry	Well 8P-2	LFC - Water Quality Monitoring
	SP 1406998-5	2014-06-18	Radio Chemistry	Well 8P-2	Radio Monitoring
	SP 1410945-5	2014-09-23	Radio Chemistry	Well 8P-2	Radio Monitoring
Womens BR	SP 1507995-3	2015-07-17	Coliform	Womens BR	Coliform Resample at LFC Lunch Room